




Cottage Gardens, Inc.

2707 W. St. Joseph Street, Lansing 17, Michigan M 78— U.S. 27 West Telephones: IV 2-9021 - IV 2-9276



MAKE IT A POINT TO COME AND SEE US THIS SPRING



Business Transacted at Office Only

LOCATIONS ON MAP:

- 1. OFFICE 2707 W. St. Joseph St.
- 2. NURSERY 6 miles east of East Lansing
- 3. NURSERY Miller Road
- 4. NURSERY Bishop and Waverly Road

The Cottage Gardens NICK I. W. KRIEK HAROLD E. HICKS

Our 38th Year

WRITE OR TELEPHONE US AT IV 2-9021 OR IV 2-9276



TERMS AND CONDITIONS

Approved credit:

2% 10 days, 30 days net.

Interest of 6% per annum charged when account is unpaid 60 days after date of invoice.

3% discount for cash with order.

25% cash required on all C.O.D.'s, balance on delivery.

All prices quoted are F.O.B. Lansing, Mich.

25 plants of one variety receive 100 rate, 250 at 1000 rate.

Boxing or baling charged at cost.

Prices subject to change without notice.

All items subject to prior sale.

Open Sundays by appointment only.

All claims must be made within 10 days after receipt of merchandise. No credit will be given after this time.

CHARGES FOR DELIVERY IN MICHIGAN WITH OUR TRUCK:

Stake truck 50ϕ per mile Semi-trailer 60ϕ per mile



Maples planted on our Bishop Farm.

FINISHED STOCK

(For Lining Out Stock see page 25)

			1-9 rate	10 rate	100 rate
Acanthopanax	pentaphyllum	(Fiveleaf	Aralia)		
3-4'			1.25	1.05	.85
4-5'			1.75	1.40	1.10

MAPLES


We have a more complete list and greater quantity of SHADE TREES than ever before. The quality will please your customer and our prices will enable you to make a nice profit.


For variation and interest check through our list for these trees:

Fraxinus (Green Ash), Gleditsia, Oak, Linden, Elm, Sycamore, Sweetgum, Amur Cork Tree, Pagoda Tree, Zelkova, Russian Olive.

Acer dasycarpum (Silver Maple)			
1½-1¾" 1¾-2"	$\frac{6.25}{7.25}$	$\begin{array}{c} 5.25 \\ 6.00 \end{array}$	$4.75 \\ 5.25$
Acer ginnala (Amur Maple) Tree Form			
6-8′ 8-10′	$\begin{array}{c} 6.00 \\ 6.25 \end{array}$	$\begin{array}{c} 5.00 \\ 5.25 \end{array}$	$\frac{4.40}{4.75}$
Acer palmatum atropurpurea—grafted			
15-18" B&B	$\begin{array}{c} 5.50 \\ 6.25 \end{array}$	$\frac{4.50}{5.25}$	$\frac{4.00}{4.75}$
Acer platanoides (Norway Maple)			
6-7' whip 8-9' whips 8-10' 1-1 ¹ / ₄ br. (Oregon grown) 1 ¹ / ₄ -1 ¹ / ₂ " 1 ¹ / ₄ -1 ¹ / ₂ " 1 ¹ / ₂ -1 ³ / ₄ " 1 ³ / ₄ -2"	1.50 2.50 4.25 6.00 5.00 7.25 8.75	1.25 1.75 3.50 5.00 4.10 6.00 7.25	1.15 1.50 3.10 4.50 3.75 5.50 6.75

	1-9	10	100
	rate	rate	rate
Acer plat. columnar (Columnar Norw and compact grower	ay Ma	ple), na	arrow
4-5' whip	2.75	2.00	1.80
7-8' whin	3 50	$\frac{2.00}{2.75}$	2.40
8-9' whip 8-10' 1-114"	3.85	3.20	2.90
8-10° 1-1¼" 1¼-1¼"	$\begin{array}{c} 5.50 \\ 7.50 \end{array}$	$\begin{array}{c} 4.50 \\ 6.25 \end{array}$	$\frac{4.00}{5.75}$
1½-1½"	9.50	8.00	7.25
13/4-2"	12.50	10.50	9.50
2-2½"	$17.50 \\ 21.00$	$14.50 \\ 19.00$	13.00
		13.00	
Acer plat. Crimson King, Plant Pat No. 5-6' whip		0.00	1.00
6-7' whip	$\frac{3.00}{3.50}$	$\frac{2.20}{2.80}$	$\begin{array}{c} 1.90 \\ 2.55 \end{array}$
8-9' whip	4.50	3.75	3.50
1-11/4"	8.00	6.50	5.25
11/4-11/2"		8.00	6.50
Acer plat. drummondi (Variegated No			
6-7' whip	4.50	3.75	
1-1 ¹ / ₄ "		5.25	4.75
Acer plat. schwedleri (Schwedler N leaves in Spring	orway	Maple)	, red
7-8' whip	2.75	2.30	2.10
0 0' ***hin	9 95	2.50	2.25
8-10' br. (Oregon grown) 1 ¹ / ₄ -1 ¹ / ₂ " (Oregon grown)	5.00	4.00	3.60
$1\frac{1}{4}$ - $1\frac{1}{2}$ " (Oregon grown)	5.75	4.75	4.25
1½-1¾" (Oregon grown)	$\begin{array}{c} 6.50 \\ 12.00 \end{array}$	$\begin{array}{c} 5.25 \\ 10.25 \end{array}$	4.75
1¾-2″	21.00	17.50	
Acor plat faassan's Black			
Acer plat. faassen's Black		1.55	1.40
4-5' whip	1.90		
4-5' whip	1.90 1748),	rapid gr	rower,
4-5' whip	1.90 1748),	rapid gr	rower,
4-5' whip	1.90 1748), ables p	rapid grapid grapid to	rower, resist
Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury	1.90 1748), ables p	rapid gr plant to	rower, resist
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 11/4-11/2"	1.90 1748), ables p	rapid grapid grapid to	rower, resist
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 11/4-11/2" Acer rubrum (Scarlet Maple) 1-11/4"	1.90 1748), lables p 3.25 11.00	rapid graphant to 2.75 8.50	rower, resist 2.50 6.75
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 11/4-11/2" Acer rubrum (Scarlet Maple) 1-11/4"	1.90 1748), ables p 3.25 11.00	rapid grant to 2.75 8.50 3.60 5.00	rower, resist 2.50 6.75 3.25 4.50
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1 1/4 - 1 1/2" Acer rubrum (Scarlet Maple) 1-1 1/4 " 1 1/4 - 1 1/2" 1 1/4 - 1 3/4"	1.90 1748), ables p 3.25 11.00 4.50 6.00 10.25	rapid grant to 2.75 8.50 3.60 5.00 8.50	rower, resist 2.50 6.75 3.25 4.50 7.25
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'4-1'½" 1'4-1'¾" 1'4-2"	1.90 1748), ables p 3.25 11.00 4.50 6.00 10.25	rapid grant to 2.75 8.50 3.60 5.00	rower, resist 2.50 6.75 3.25 4.50
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'4-1'½" 1'4-2" Acer saccharum (Sugar Maple)	1.90 1748), ables p 3.25 11.00 4.50 6.00 10.25 13.50	2.75 8.50 3.60 5.00 8.50 10.00	2.50 6.75 3.25 4.50 7.25 9.50
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'4-1'½" 1'4-2" Acer saccharum (Sugar Maple)	1.90 1748), ables p 3.25 11.00 4.50 6.00 10.25 13.50	2.75 8.50 3.60 5.00 8.50 10.00	2.50 6.75 3.25 4.50 7.25 9.50
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'4-1'½" 1'4-2" Acer saccharum (Sugar Maple)	1.90 1748), ables p 3.25 11.00 4.50 6.00 10.25 13.50	2.75 8.50 3.60 5.00 8.50 10.00	2.50 6.75 3.25 4.50 7.25 9.50
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 11/4-11/2" Acer rubrum (Scarlet Maple) 1-11/4" 11/4-11/2" 11/4-2" Acer saccharum (Sugar Maple) 1-11/4" 11/4-11/2" 11/4-11/4" 11/4-11/4" 11/4-11/4" 11/4-11/4" 11/4-11/4" 11/4-11/4" 11/4-11/4" 11/4-11/4"	1.90 1748), tables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50	2.75 8.50 3.60 5.00 8.50 10.00	2.50 6.75 3.25 4.50 7.25 9.50
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'4-1'½" 1'4-1'¾" 1'4-2"	1.90 1748), tables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50	2.75 8.50 3.60 5.00 8.50 10.00	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'2-1'4" 1'4-2" Acer saccharum (Sugar Maple) 1-1'4" 1'4-1'½" 1'4-1'4" 1'4-1'4" 1'4-2" 2-2'½"	1.90 1748), tables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50	rapid grapid state of the state	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40 9.50
4-5' whip	1.90 1748), lables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50 15.50	rapid grapid state of the state	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40 9.50
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'2-1'4" 1'4-2" Acer saccharum (Sugar Maple) 1-1'4" 1'4-1'½" 1'4-1'½" 1'4-2" 2-2'½" Aronia arbutifolia (Red Chokeberry) 15-18" 1'½-2'	1.90 1748), lables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50 15.50	rapid grapid grapid state of the state of th	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40 9.50 11.75
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 11/4-11/2" Acer rubrum (Scarlet Maple) 1-11/4" 11/4-11/2" 11/2-13/4" 11/4-11/2" 11/4-11/4" 11/4-11/4" 11/4-11/4" 11/4-2" 2-21/2" Aronia arbutifolia (Red Chokeberry) 15-18" 11/2-2' 2-3'	1.90 1748), tables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50 15.50	rapid grapid rapid grapid state of the state	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40 9.50 11.75
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'2-1'4" 1'4-2" Acer saccharum (Sugar Maple) 1-1'4" 1'4-1'½" 1'4-1'½" 1'4-2" 2-2'½" Aronia arbutifolia (Red Chokeberry) 15-18" 1'½-2'	1.90 1748), tables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50 15.50	rapid grapid grapid state of the state of th	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40 9.50 11.75
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 11/4-11/2" Acer rubrum (Scarlet Maple) 1-11/4" 11/4-11/2" 11/2-13/4" 11/4-11/2" 11/4-11/2" 11/4-11/2" 11/4-11/4" 11/4-11/2" 11/2-13/4" 11/4-2" 2-21/2" Aronia arbutifolia (Red Chokeberry) 15-18" 11/2-2' 2-3' Aronia brilliantissima (Brilliant Red 2-3'	1.90 1748), tables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50 15.50 Choke 1.05	rapid grapid grapid state of the state of th	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40 9.50 11.75
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'4-2" Acer saccharum (Sugar Maple) 1-1'4" 1'4-1'½" 1'4-1'½" 1'4-1'½" 1'4-2" 2-2'½" Aronia arbutifolia (Red Chokeberry) 15-18" 1'½-2' 2-3' Aronia brilliantissima (Brilliant Red	1.90 1748), tables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50 15.50 Choke 1.05	rapid grapid grapid state of the state of th	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40 9.50 11.75
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'4-2" Acer saccharum (Sugar Maple) 1-1'4" 1'4-1'½" 1'4-1'½" 1'4-2" 2-2'½" Aronia arbutifolia (Red Chokeberry) 15-18" 1'½-2' 2-3' Aronia brilliantissima (Brilliant Red 2-3' 3-4'	1.90 1748), tables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50 15.50 Choke 1.05 1.50	rapid grapid grapid state of the state of th	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40 9.50 11.75
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'4-2" Acer saccharum (Sugar Maple) 1-1'4" 1'4-1'½" 1'4-2" 2-2½" Aronia arbutifolia (Red Chokeberry) 15-18" 1'½-2' 2-3' Aronia brilliantissima (Brilliant Red 2-3' 3-4' Aronia melanocarpa (Black Chokeberry) 12-15"	1.90 1748), tables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50 15.50 Choke 1.05 1.50 ry)	rapid grapid grapid state of the state of th	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40 9.50 11.75 .60
4-5' whip Acer p. Summershade (Plant Pat. No. dark green more leathery foliage en windburn and insect injury 8-9' whip 1'4-1'½" Acer rubrum (Scarlet Maple) 1-1'4" 1'4-1'½" 1'4-2" Acer saccharum (Sugar Maple) 1-1'4" 1'4-1'½" 1'4-1'½" 1'4-2" 2-2'½" Aronia arbutifolia (Red Chokeberry) 15-18" 1'½-2' 2-3' Aronia brilliantissima (Brilliant Red 2-3' 3-4'	1.90 1748), tables p 3.25 11.00 4.50 6.00 10.25 13.50 6.25 7.75 9.50 12.50 15.50 Choke 1.05 1.50 ry)	7.75 8.50 3.60 5.00 8.50 10.00 10.50 13.00 10.50 13.00 1.55 1.20	2.50 6.75 3.25 4.50 7.25 9.50 4.80 5.75 7.40 9.50 11.75 .35 .45 .60





"The NEW truly dwarf red barberry"

- Brilliant ox-blood red foliage.
- Grows 12" high—15-18" in diameter.
- An excellent low, neat hedge.
- Colorful and compact for foundation and contemporary design.
- Ideal for bedding—making a colorful display.

Sizes for Landscape and Retail Sales



3 yr. tr.; note fibrous roots and compact tops

	1-9 rate	100 rate	1000 rate
10-12", B&B	2.00	1.50	1.25
12-15", B&B	2.50	1.75	1.50

Lining Out Sizes

	100	1000
	rate	rate
3 yr. tr., bushy, 4-6"	.40	.35
3 yr. tr., bushy, 9-12"	.60	.50



One of our blocks of Berberis Crimson Pygmy.

Azalea amoena, rose purple	1-9 rate	10 rate	100 rate
12-15", B&B	4.00	3,50	3.25
	4.00	0.00	9.20
Azalea arnoldiana, bright pink			
12-15", B&B	4.00	3.50	3.25
Azalea boudoir, watermelon pink			
15-18", B&B	4.75	4.00	3.75
15-18", B&B 1½-2', B&B 2-2½', B&B	4.00	3.50	3.25
	5.50	4.50	4.25
Azalea herbert, lavender pink			
15-18", B&B	4.00	3.50	3.25
1½-2′ B&B	4.75	4.00	3.75
Azalea mollis, orange			
	4.25	3.75	3.50
Azalea poukhanensis, lavender			
10-12", B&B	3,50	3.00	2.75
12-15", B&B	4.00	3.50	3.25
Berberis juliana (Evergreen Barberry)	4.00	0.05	0.05
2-2½'	$\frac{4.00}{4.50}$	$\frac{3.25}{3.60}$	$\frac{2.95}{3.25}$
2 72 -0	4.00	5.00	0.20
Berberis sargenti			
15-18"	4.00	3.25	2.75
Berberis thunbergi atropurpurea (Red a	Japanes	se Barb	erry)
1½-2′, 2-5 br		.35	.28
		ON DV	CMV
Berberis thunbergi atropurpurea nana (Dwarf-red Barberry)	CKIMS	ON FI	GMI
	2.00	1.50	1.25
10-12", B&B 12-15", B&B 15-18", B&B	2.50	1.75	1.50
15-18", B&B	3.00	2.25	1.75
Betula papyrifera (Paper Birch)			
2 stem 6-8' B&B	7.25	6.25	
single stem, 10-12', B&B single stem, 12-14', B&B single stem, 2-2½"	7.75	6.75	
single stem, 12-14′, B&B	8.50	7.25	
single stem, 2-2½	9.50	8.25	
Betula pendula alba (White Birch)			
5-6' clump	3.75	3.25	3.00
6-7' clump	4.50	3.75	3.50

Details a allea legiminte (Cut leaf Ween)	1-9 rate	10 rate	100 rate
Betula p. alba laciniata (Cut-leaf Weepi 8-9', br			3.50
Buxus inglis, hardy Boxwood 10-12", B&B		2.00	
Carpinus fastigiata (Pyramidal Europ		ornbear	1)
6-8', B&B			7.50
Celtis occidentalis (Hackberry) 1½-1½"	9.00	7.50	6.25
Cercis canadensis (Redbud)			
4-5', B&B	$\frac{6.00}{7.25}$	$\begin{array}{c} 5.00 \\ 6.00 \end{array}$	$\frac{4.50}{5.50}$
Cornus alba siberica (Siberian Dogwo	od)	.50	
	.00	.50	.40
Cornus baileyi	.60	.50	.45
3-4'	.80	.65	.60
Cornus Coral Beauty coral-red stems			
4-5′		1.75	1.50
Cornus elegantissima (Variegated Dog		.60	.55
2-3'	.90		.70
Cornus florida (Flowering Dogwood)			
2-3', B&B	3.75	3.00	2.75
3-4', B&B	$4.25 \\ 4.75$	$\begin{array}{c} 3.50 \\ 4.00 \end{array}$	$\frac{3.25}{3.75}$
7-8', B&B budded 6-7', multi-stem, B&B 7-8', multi-stem, B&B	8.75	$7.25 \\ 11.50$	6.75
7-8', multi-stem, B&B	19.00	16.00	
Cornus f. Cherokee Chief (Plant Patent color of bloom and foliage than flor	ida rul	ora	eeper
3-4', B&B	8.25	7.25	6.75
Cornus florida "Cloud Nine," a new bea			
2-3', budded, B&B	4.25	3.50	3.25
Cornus florida rubra 2-3', B&B, with buds	3 75	3 25	2.95
3-4', B&B, with buds	4.75	4.00	3.75
			4.75
Cotinus Royal Purple (Purple-leaf Sn 2-3', B & B		ee) 3.25	2.95
Cotoneaster adpressa (Creeping Coton fruit			3.25
12-15", B&B	5.75	4.75	4.25
			5.25
Cotoneaster adpressa praecox (Low gr	owing	Cotone	aster)
15-18", B&B 1½-2', B&B 2-2½', B&B	5.75	4.00	$\frac{3.75}{4.25}$
2-2½', B&B	7.00	5.75	5.25
Cotoneaster apiculata (Cranberry Coto			1.50

	1-9 rate	10 rate	100 rate
Cotoneaster divaricata (Spreading Coton		r)	
1½-2′	.75	.60	.55
2½-3′	.80	.65	.60
3-4'	1.10	.90	.80
Cotoneaster horizontalis (Rock Cotonea	aster)		
1 gal. can	2.00	1.65	1.50
5 gal. can	7.00	$\frac{1.05}{5.75}$	5.25
	1.00	9.19	0.20
Crataegus Autumn Glory			
8-10′	6.00	5.00	4.60
Crataegus carrieri (Lavalle) white flow		Howeth	
			iorne
4-5', standard		3.25	
8-10', tree form	6.50	5.25	4.75
Crataegus cordata (Washington Thorn))		
4-5', standard	4.00	3.25	2.95
5-6', B&B, bushy	7.75	6.75	6.25
			0.20
Crataegus o. pauli (Paul's Scarlet Haw		:)	
5-6', standard	4.00	3.25	2.95
5-6', 3 yr. top (B&B,			
2.00 extra)	6.00	5.00	4.50
6-8', B&B	9.50	8.00	7.25
8-10', tree form	6.00	5.00	5.50
Crataegus toba, disease resistant, shing	v leav	es	
5-6', standard, B&B	8.00	7.00	6.50
			0.00
Cydonia japonica rubra (Red Flowering	g Quin	ice)	
1½-2′	.60	.50	.45
Deutzia gracilis (Slender Deutzia)			
	0=	=0	
12-15"		.70	.55
Deutzia lemoinei, semi-dwarf habit,	cluste	ers of	white
flowers in late spring			
1½-2′	.85	.70	.55
Eleagnus angustifolia (Russian Olive)		1.00	4 40
4-5'	7.50	1.20	$\frac{1.10}{5.25}$
6-8, br., tree form	7.50	5.75	3.23
Euonymus alatus (Winged Burning B	ush)	1.65	1.50
3-4'	$\frac{1.30}{2.75}$	$\frac{1.05}{2.25}$	2.00
4-5'	4.00	3.25	$\frac{2.75}{2.75}$
Euonymus alatus compacta (Dwarf-wi	ngea	Burnin	g
Bush) 2-3'	2.50	1.75	1.50
Euonymus radicans argentea variegata	, low	grower	with
variegated foliage used as a ground	cover		
1 gal., sold out	1.75	1.45	1.30
Euonymus europeus (European Euony	mus)		
	.55	.45	.40
1½-2′		.55	.50
2-3'	.90	.75	.65
Euonymus f. carrieri, semi-prostrate green foliage, orange fruit			
1 gal.	1.60	1.45	1.30
12-15", pot 15-18", B&B 1½-2', B&B, heavy	1.75	1.45	1.30
15-18", B&B			
14/ 01/ 707 1	$\frac{3.75}{4.00}$	$\frac{3.00}{3.25}$	$\frac{2.50}{2.95}$



We properly trim and cultivate our shrubs to assure you healthy, vigorous plants. Dug and heeled-in in Sawdust in early spring for easy, quick pick up.

easy, quick pick up.			
	1-9 rate	10 rate	100 rate
Euonymus f. vegetus (Bigleaf Euony	mus)		
12-15", potted	1.75	1.45	1.30
Euonymus f. erecta (Upright Common			
1½-2′, B&B	3.00	2.50	2.25
Euonymus f. radicans Sarcoxie, uprigle glossy leaves		ver, con	pact,
12-15", pot 15-18", B&B	1.75	1.45	1.30
15-18", B&B	3.75	3.00	2.75
18-24", B&B	4.25	$\frac{3.50}{4.25}$	3.25
18-24", B&B 2-2½', B&B 3-3½', B&B	$\begin{array}{c} 5.00 \\ 6.25 \end{array}$	$\frac{4.25}{5.25}$	$\frac{3.75}{4.75}$
		0.20	1.10
Euonymus k. patens (Spreading Euon			
1½-2′, 4 yr. canned	2.50	2.00	1.75
1½-2′, B&B 2-2½′, B&B	3.00	2.50	2.25
		3.75	
Fagus syl. riversi (River's Purple Be	eech)		
2 gal. can, 3-4', br	5.00	4.25	3.90
4-5', B&B	14.00	12.50	
Forsythia Arnold's Giant, compact, sp yellow blooms		,	
1 1/2 -2'	.65	.55	.45
2-3'	.80	.65	.55
Forsythia Beatrix Ferrand, vigorous yellow flowers	grower	, large,	deep
2-3'	1.15	.80	.65
Forsythia intermedia spectabilis (Show	y Bord	er Forsy	thia)
3-4'	1.10	.80	.65
4-5'	1.30	1.10	.95
Forsythia Spring Glory, pale yellow cover stems	flower	rs comp	letely
3-4'			
4-5'	1.30	1.10	1.00

THE NEW HONEY LOCUSTS



Gleditsia SUNBURST

(Plant Patent No. 1313)

The sensational, new two-color tree with brilliant yellow branch tips, appearing to burst with bloom all Summer.



Gleditsia IMPERIAL

(Plant Patent No. 1605)

The graceful, spreading, new Honey-locust that grows strong and straight without staking: A favorite of landscape men and tree experts.



Gleditsia SKYLINE

(Plant Patent No. 1619)

Distinctive, stately variety with strong trunk and shapely crown. Needs no staking. Dark green foliage has heavy, leathery texture.

Honey Locusts are rapidly becoming one of our most popular SHADE TREES. A fast grower, beautiful texture and graceful habit. Before buying check our prices and varieties.

ture.			
		10 rate	
Fraxinus p. lanceolata (Green Ash) yellow fall foliage	quick	grower;	good
1 1/4 - 1 1/2 "	5.50	4.75	4.25
1½-1¾", 10-12'	9.50		6.75
2-2½", 12-14'		11.00	9.75
2-472 , 14-14	10.00	11.00	3.10
Fraxinus v. glabra (Modesto Ash), growing, dense foliage, bright glossy			rapid
6-8', 1-1½"			3.10
		5.00	
10-12', 1½-1¾"		0.00	4.60
12-14', 1¾-2"	8.50	6.75	6.25

	1-9 rate		100 rate
Ginkgo biloba (Maidenhair Tree), fa			
are bright gold in Fall	C 00	F 05	4 55
5-6', br.	6.00	5.25 5.75	$4.75 \\ 5.25$
0-8, Dr	0.00	7.50	6.25
5-6', br. 6-8', br. 8-10', br., 1-1½"	10.00	8.25	0.20
Gleditsia Imperial (Plant Pat. No. 160 forms a compact head		ise bran	nching;
5-6', 1 yr. whip	2.75	2.25	1.95
6-8′	6.00	4.80	4.35
1-11/4"	7.25	6.10	5.50
1½-1½"	$9.00 \\ 11.50$	7.50 9.75	6.75 8.75
$1\frac{7}{2}$ - $1\frac{7}{4}$	15.50	12.95	11.75
Gleditsia Shademaster (Plant Patent growth, symmetrical tops		very ı	ıpright
6-7' whips 9-11', 1¼-1½"	4.00	3.00	2.75
9-11', 1½-1½"	11.50	9.75	8.25
10-12', 1½-1¾"	14.00	11.50	9.75
11-13', 1 ¼ -2"	17.50	14.50	12.75
Gleditsia Skyline (Plant Patent No. 16 foliage is heavy, leathery texture	19) Py	ramida	l form,
5-6' whips	2.75	2.25	1.95
6-7' whips		2.60	2.30
6-8'	6.00	4.80	4.35
$1-1\frac{1}{4}$ "	7.25	6.10	5.50
$1\frac{1}{4}-1\frac{1}{2}$ $1\frac{1}{2}-1\frac{3}{4}$ "	$9.00 \\ 11.50$	7.50 9.75	6.75 8.75
$1\frac{72-1}{4}$ $1\frac{3}{4}-2$ "	15.50	12.95	11.75
Gleditsia Sunburst (Plant Pat. 1313), I on 8-10" of branch tips, broadly py	oright ;	golden :	foliage
			2,75
8-10' br	9.79	7.50	6.60
6-7' whips 8-10', br. 1¼-1½", br.	11.25	9.40	8.45
Gleditsia t. inermis (Thornless Honeyl ful head, grows rapidly	ocust),		grace-
7-8', whip	2.75	2.25	1.90
1½-1½" 1½-1¾"	6.00	5.00	4.50
1½-1¾″	7.25	6.00	5.50
Hydrangea A.G. (Snowhill Hydrangea 18-24"		.70	.55
Hydrangea P.G. (Pink Hydrangea)			
2-3'	1.00	.75	.65
4-0	1.00	.19	.00
Ilex crenata convexa (Box-leaf Holly	7)		
15-18", 2 gal. 15-18", B&B 1½-2', B&B 2-2½', B&B	3.50	2.90	2.65
15-18", B&B	4.25	3.50	3.25
1½-2′, B&B	5.25	4.25	3.75
Z-272, D&D	6.50	5.25	4.75
Ilex crenata hetzi (Hetz Holly)			
15-18", 2 gal. 15-18", B&B	3.75	3.00	2.80
19-18", Б&В	4.50	3.80	3.50
Ilex rotundifolia, globular compact g			
1½-2′, B&B 2-2½′, B&B	4.50	3.75	3.50
2-2½′, B&B	5.50	4.75	4.25



SPARTAN JUNIPER (trade mark) Our own introduction. A fine dense, fast grower.

JUNIPER

			10 rate	100 rate
Juniperus chin. armstrong, spreader	bright	green,	dense,	low
10-15" 15-18"		$\frac{3.50}{3.75}$	$\frac{2.75}{3.25}$	2.50
Juniperus chin. columnaris, o	eolumna	r pyrai	nid Chi	inese
2-2½′		4.25	3.50	
2½-3′		$\begin{array}{c} 4.75 \\ 6.25 \end{array}$	$\frac{4.00}{5.25}$	$\frac{3.75}{4.75}$
3-4'4-5'		$\begin{array}{c} 6.25 \\ 7.50 \end{array}$	5.25 6.75	$\frac{4.75}{6.25}$
5-6'		9.50	7.75	0.20
Juniperus chin. denserecta "SI	PARTA	N" (tra	de marl	k) A
NEW COTTAGE GARDEN grower, dense with little tri	mming.		TION.	F'ast
2-21/2'		5.25		3.75
2 ½ -3′				4.25
3-4′		8.25	6.75	6.25
Juniperus chin, hetzi, fast gre	ower, b	luish fo	liage	
12-15"		2.00	1.75	1.50
15-18"		$\frac{2.75}{2.75}$	2.25	1.90
$1\frac{1}{2}-2'$		$\begin{array}{c} 3.75 \\ 4.10 \end{array}$	$\frac{3.00}{3.40}$	$\frac{2.60}{3.10}$
2-2½′			$\frac{3.40}{4.50}$	3.10
4 /2 -9		9.90	4.90	
Juniperus chin. hetzi, upright	`	<i>'</i>		
21/2-3'			4.25	3.75
3-31/2'	tage ages and made their revenible belongs and and find the sector	$\frac{6.00}{6.25}$	$\frac{5.00}{5.25}$	$\frac{4.25}{4.75}$
31/2-4'		0.25	5.25	4.75
Juniperus chin. Maneyi, vase s blue green foliage	shaped,	semi-er	ect spre	ader,
21/2-3'		4.75	4.00	3.75
3½-4′			4.50	3113
- /-				



Pfitzer Junipers which have been properly trimmed and cultivated to produce these beautiful finished plants.

	1-9	10	100
	rate	rate	rate
Juniperus chin. pfitzeriana (Pfitzer Jun	niper)		
12-15"	2.00	1.85	1.70
15-18"	3.00	2.50	2.10
1½-2′	3.75	3.25	2.95
2-2½'	4.25	3.50	3.25
2½-3′	5.00	4.00	3.75
2 /2 -0	0.00	7.00	0.10
Juniperus chin. pfit. aurea (Golden Pi	fitzer)		
•	•	1 45	1 20
1 gal. can	1.60	1.45	1.30
Juniperus chin. pfit. glauca			
15-18"	3.75	3.00	2.75
1½-2′	4.25	3.50	3.25
1 /2 -2	7.20	0.00	0.20
Juniperus chin. pfit. compacta, tight,	compac	t grow	er.
12-15"	2.75	2.25	2.10
15-18"	3.75	3.00	
1½-2′	4.25	3.50	3.25
$2 - \overline{2} \frac{1}{2}'_{2}'_{2}$	5.25	4.25	3.75
2½-3′	5.75	4.50	3.95
			3.00
Juniperus chin. pfit. nana			
15-18"	3.25	2.75	2.40
18", sheared	5.00	4.00	3.75
Juniperus chin. sargenti, (Sargent's	Chine	se Jur	niper)
spreader			
12-15"	3.00	2.50	2.15
5 gal. can	7.00	5.75	5.25
1½-2′, blue	5.00	4.50	3.75
Juniperus excelsa stricta (Spiny Gree		per)	
1½-2′	3.25	2.65	2.40
Juniperus horizontalis plumosa (Ando per)	orra Cr	eeping	Juni-
12-15"	2.50	2.00	1.85
15-18"	3.00	2.50	$\frac{1.05}{2.25}$
1½-2′	$\frac{3.00}{3.75}$	3.00	2.75
2-2½′	4.00	3.50	3.25
2½-3′	5.00	4.00	3.75
2/2-0	9.00	4.00	0.10

	1-9	10 rate	100
Juniperus sabina tamariscifolia (Tama	arix Ju	niper)	rate
1 gal. can 2 gal. can	$\frac{1.75}{4.50}$	$\frac{1.45}{3.75}$	$\frac{1.30}{3.50}$
Juniperus sq. meyeri, semi-upright; gr ish red foliage			-
12-18"			
Juniperus virg. burki (Burk Red Ced steel-blue column			
2-2½'			
Juniperus virg. dundee (Dundee Junip age turns purple bronze, compact, u	apright		n foli-
3-4', sold out 4-5', sold out	7.50 8.25	$\begin{array}{c} 6.25 \\ 6.75 \end{array}$	
Juniperus virg. keteleeri (Keteleer R			mpact
gray-green; large blue berries 2-21/2'	4.75	4.00	3.75
2½-3'	5.25	$\frac{4.50}{5.00}$	$\frac{4.25}{4.50}$
4-5′	8.25	6.75	4.50
5-6'	11.00	9.00	
Koelreuteria paniculata (Golden Rain adapts easily to city conditions			
8-10'			
Laburnum vossi (Golden Chain Tree), in clusters			
6-8' br.			3.25
Leucothoe catesbaei (Drooping Le shrub; prefers shade		e) eve	rgreen
15-18", B&B 2-2½', B&B	$\begin{array}{c} 4.25 \\ 6.25 \end{array}$		2.95
Ligustrum amurense (Amur Privet)	.30	.25	.22
Ligustrum vicari (Golden Privet)			
2-3' 1 gal	$\frac{1.30}{1.75}$	$1.10 \\ 1.45$.90 1.30
Liquidamber styraciflua (American S			1.90
4-5', potted	4.00	3.25	2.85
4-5', potted 6-8', B&B 8-10', B&B	8.50	7.00	$6.50 \\ 7.25$
Lonicera zabelli (Improved Red-flower		.60	.55
2-3'	.85	.70	.60
3-4'	.90	.75	.65
MAGNOLIA			
Magnolia nigra, dark purple flowers 2-3', B&B	6.25	5.25	
Magnolia soulangeana, all with buds		5.20	
2-3', B&B	3.75	3.25	2.95
2-3', B&B specimen	$\frac{5.75}{7.00}$	$4.75 \\ 5.75$	$4.25 \\ 5.25$
3-4', B&B, specimen 4-5', B&B, specimen 4-5', B&B, specimen	5.75	4.75	4.40
4-5', B&B, specimen 5-6' budded specimen, B&B	$\begin{array}{c} 9.00 \\ 12.00 \end{array}$	$8.50 \\ 11.50$	7.50 9.00
6-6½, specimen	14.00	12.50	10.00

	1-9	10	100
35 (31 (6) 35 (3)	rate	rate	rate
Magnolia stellata (Star Magnolia)		F 0F	4 ==
2-2½′	6.25	5.25	4.75
21/2-3′	7.50	6.50	6.00
Mahonia aquifolium (Oregon Grape H	(olly)		
	3.75	3.00	2.75
12-15", B&B 15-18", B&B	4.25	3.50	3.25
1½-2′, B&B	4.75	4.00	3.75
MALUS			
	1-9	10	100
	rate	rate	rate
Bechtels, double pink			
5-6', br. standard	4.00	3.50	3.25
Cheal's Crimson, white with red fruit			
3-3½'	1.50	1.20	1.10
0-072	1.50	1.20	1.10
Hopa, red			
6-8′	4.25	3.50	2.75
8-10′	5.00	4.00	3.60
8-10', tree form	5.00	4.00	3.60
1. 1 . 1.1 1.0 1.6			
makimak, purplish red flower, red fru		4.40	
2-3'	1.30	1.10	.95
3-4′	$\frac{1.50}{3.25}$	$\frac{1.20}{2.75}$	$\frac{1.10}{2.50}$
4-5' 5-6'	4.00	2.13	2.30
marshall oyama, white flowers, red	fruit,	narrow	up-
right			
3-4'	3.00	2.50	2.25
micromalus, pink flower, yellow fruit			
3-4'	1.50	1.20	1.10
4-5'	$\frac{1.30}{3.25}$	2.75	2.50
		2.10	2.00
o. echtermeyer, weeping; purplish red			
3-4', staked	3.00	2.50	2.25
5-6', staked	6.00	5.00	4.50
p. lemoine, bright wine red, red fruit			
		1.00	4 40
3-4'	1.50	1.20	$\frac{1.10}{2.25}$
4-5′	3.25	2.50	2.25
p. profusion, wine-red			
3-4'	1.50	1.20	1.10
4-5'	2.00	1.60	1.45
5-6'	3.50	2.25	1.75
scheideckeri, semi-double pink, yellow			
2-3′	1.30	1.10	.95
3-4'	1.50	1.20	1.10
4-5'	2.00	1.60	1.45
sargenti, low spreading, white flower,	red fr	uit	
2-3'	3.25	2.75	2.25
4-5', single stem		2.73	$\frac{2.25}{2.60}$
		2.00	2.00
sieboldi, low globe, pink or white flow	ver		
3-4'	1.50	1.20	1.10
4-41/2′	3.25	2.75	

	1-9	10 rate	100
Myrica pennsylvanica (Northern B	Bavberry). semi	-ever-
green, waxy gray berries			
2-2½', B&B	6.25	5.25	
Pachistima canbyi, ground cover			
1½-2′	4.50	3.75	
Phellodendron amurense (Amur C	ork Tro	a) vic	orone
broad, a handsome tree	OIK IIE	e) vig	orous,
1½-2″ 2-2½″	8.75	7.00	5.90
2-21/2"	10.75	9.00	8.25
Physocarpos opulifolius nana (Dwar	f Nineba	rk)	
2-3'		.60	.55
Pieris japonica (Andromeda) broadl	eaf ever	oreen	
12-15", potted		2.25	1.95
1 ½ -2′	6.00	5.00	4.60
2-2½', heavy	7.25	6.00	5.65
Pinus m. mughus (Mugho Pine)			
10-12" 12-15"	3.50		2.70
12-15"	3.85	3.35	3.10
Pinus nigra (Austrian Pine)			
3-4'	6.00	5.00	4.50
Pinus strobus (White Pine)			
3-4'	7.50	6.50	5.90
4-5'	10.00		7.50
		11.50	10.50
larger on request			
Platanus acerifolia (London Plane)	, rapid	grower	, tops
for street planting	6.50	5.50	4.75
1½-1½" 1½-1¾"	9.00	7.50	6.75
1 3/4 -2"	$_{-}$ 12.00	10.25	9.25
$1\frac{3}{4}$ ", 12-14' (Western Grown 2-2 $\frac{1}{2}$ "	1) 8.75	7.25 14.00	$\begin{array}{c} 6.60 \\ 12.75 \end{array}$
,-		14.00	12.10
Platanus occidentalis (American Sy			
1 ½ -1 ½"	6.00	$\frac{5.00}{6.75}$	$\frac{4.50}{6.25}$
$1\frac{7}{2}-1\frac{7}{4}$	8.00 9.50	8.00	7.25
1 ⁷² - 1 ⁷⁴ - 1 ³⁴ - 2" - 2 - 2 ¹ / ₂ ", 12 - 14'	11.00	9.00	
Prunus amanogawa, columnar shape			
6-7', branched, sold out	5.25	4.25	3.85
Prunus blieriana, pink	9.50	975	250
5-6' standard	3.50	2.75	2.50
Prunus cistena, (Purple-leaved Sand	dcherry)		
1½-2′, bush	1.25	.95	.85
2-3', bush	1.50 1.80	$1.25 \\ 1.50$	$\frac{1.10}{1.25}$
4-5' standard	2.75	$\frac{1.30}{2.25}$	2.00
Prunus kwanzan (Japanese Floweri)	
5-6', std.		3.75	3.50
6-8'	5.50	4.50	4.10
6-8', tree form	7.50	6.75	6.25
8-10', tree form	9.75	8.00	7.25
Prunus Mt. Fuji, double white flowe	ring Che	erry	
4-5', br		6.00	5.25

TAXUS

A New Idea

- Grows well in shade or sun
- Tolerates city conditions
- Lends itself to modern or traditional design

The following Taxus are ideal for use as hedges: Cuspidata nana, densiformis, media browni, media hicksi, media hatfieldi.



Here a Taxus hedge is used as a border for a rose bed at the home of Mr. Kriek.



The neat line of a clipped Taxus hedge accents a view or feature.

HEDGES


in Contemporary Design

THE INITIAL COST OF A TAXUS HEDGE IS JUSTIFIED:

- 1. By less maintenance.
- 2. By ease of trimming to retain desired size.
- 3. By outlasting any other type of hedge, thereby increasing in value.



Used in a foundation planting the Taxus hedge is effective and elegant in appearance.



Taxus are particularly well adapted for use in commercial landscaping, giving a neat business-like appearance.

	1-9 rate	10 rate	100 rate
Prunus subhirtella pendula (Weeping Fered with pink blossoms in early spr	Iigan		
5-6' on own stem No. 1—6' standard	$7.25 \\ 6.00$	$\frac{6.00}{5.00}$	$5.25 \\ 4.60$
Prunus Thundercloud, copper foliage	0.00	5.00	4.00
5-6', standard	3.50	2.75	2.50
Prunus tomentosa (Nanking or Manchu	Che	rry)	
1½-2′	.60 .80	.50 .65	.45 .55
2-3'	.90	.70	.60
Prunus triloba (Double Flowering Plu			
3-4', standard	2.00	1.65	1.50
Pyracantha c. lalandi, orange berries 1 gal	1.25	.95	.85
Pyracantha c. lalandi Monrovia, closely	rese	mbles l	alandi
5 gal., upright	7.00	5.75	5.25
Pyracantha c. Pauciflora, low, compact			
5 gal	7.00	5.75	
Quercus borealis rubra (Northern Red	Oak 4.00	3.25	2.95
6-8', br	5.50	4.60	4.25
Quercus coccinea (Scarlet Oak)			
5-6′	3.75	3.00	2.75
Quercus palustris (Pin Oak) 6-7'	4.25	3.60	3.25
8-10' br.	5.50	4.50	3.95
1½-1½"	$7.50 \\ 11.00$	$\begin{array}{c} 6.75 \\ 9.00 \end{array}$	$\begin{array}{c} 5.75 \\ 8.25 \end{array}$
1 % -2"	13.00	10.75	9.75
· -	15.00	12.75	
Rhododendron catawbiense album, best 1½-2′, budded			
Rhododendron catawbiense grandifloru	m, ro	sy lilac	
1½-2′, budded	7.75	7.25	
Rhododendron cat. poelman Red 1½-2', budded	7.75	7.25	
Rhodotypos scandens (kerrioides), (Bl	ack J	etbead)	black
berries in winter 2-3'	.90	.75	.65
Robinia pseudoacacia decaisneana (Pink			
10-12', 1¾-2"		6.75	6.25
Robinia umbraculifera, Globe headed		st	
6', std., 2 yr. head	6.25	$\begin{array}{c} 5.25 \\ 8.50 \end{array}$	$\frac{4.75}{7.25}$
Robinia monument, Erect growing tre			
pink blooms		-20, 1av	chuer
8-10', br.	6.25	5.25	4.75
Salix m. tortuosa (Corkscrew Willow)		4.00	0.57
8-10', bush 10-12', bush 8-10', tree form	$\begin{array}{c} 5.00 \\ 6.00 \end{array}$	$\begin{array}{c} 4.00 \\ 4.75 \end{array}$	$\frac{3.75}{4.25}$
8-10', tree form	6.00	4.75	

Sambucus canadensis aurea (Golden A	1-9 rate	10 rate	100 rate
2-3'	1.00	.90	CI)
Sorbus aucuparia (Mt. Ash)			
6-8'	3.75	3.00	2.65
10-12'	5.00	4.00	
Sophora japonica (Pagoda Tree)			
34", 6-8', br	4.25	3.50	3.25
34", 6-8', br	$\begin{array}{c} 5.25 \\ 8.00 \end{array}$	$\begin{array}{c} 4.25 \\ 6.75 \end{array}$	$\begin{array}{c} 3.85 \\ 6.25 \end{array}$
Spirea Anthony Waterer, rose-red	.80	.65	.55
Spirea froebeli, pink, taller than A.W	7		
	.50	.40	.35
15-18" 1½-2'	.65	.50	.40
2-3'	.80	.60	.55
Symphoricarpos hancocki (Prostrate a neat mat with small foliage			
1½-2′	.70	.55	.45
Symphoricarpos vulgaris (Indiancurra			•
15-18" 1½-2'	.50 .60	.40 .45	.35
2-21/2'	.80	.65	.55
Syringa Pres. Lincoln, Wedgewood blu	e		
3-3½′		1.50	
Syringa persica, (Persian Lilac), lave	nder		
2-3'		.60	.55
Syringa vulgaris, the old fashioned, f	ragrant	t purpl	e lilac
3-4'		.95	.85
Syringa vulgaris alba, common white l	ilac		
3-4'		1.25	1.05
Tamarix Summer Glow, silver blue foli	age, R	osy spi	kes all
summer			
2-3'	.70 .85	.65 .70	.55 .65
4-5'	1.10	.90	.00
TAXUS			
Taxus cuspidata	4.00	0.0*	0.0"
12-15" 15-18"	$\frac{4.00}{4.75}$	$\frac{3.25}{4.00}$	$\frac{2.95}{3.60}$
$1\frac{1}{2}$ -2' 4.30 p/1000 rate	6.00	5.00	4.60
1½-2', spec. 4.95 p/1000 rate 2-2½'	7.25 8.00	$\begin{array}{c} 6.00 \\ 7.25 \end{array}$	5.40
	0.00	1.20	
Taxus cuspidata capitata, upright	10.00	2.50	7.75
3-3½' 3½-4'	13.75	$\begin{array}{c} 8.50 \\ 11.50 \end{array}$	10.50
4-41/2′	14.50	12.00	11.25
10′			
2½-3′, specimen 3-3½′, specimen	13.75 14.00	$11.50 \\ 12.50$	10.50 11.75
Taxus cuspidata hiti, broad upright			
2-21/2′	8.75	7.25	6.75



This spring we will have about $3\frac{1}{2}$ acres of lathhouse stocked full with beautiful, healthy, bright green TAXUS in many varieties and sizes.

1-9 rate	10 rate	100 rate
6.00	5.00	4.50
7.25	6.00	5.50
		5.75
9.00	7.50	
_		
	00	
	2000	3.60
6.00	5.00	4.60
bit		
	1.60	1.45
		3.90
		5.25
7.50	6.75	6.25
9.50	8.00	
		~ ~ ~
4.00	3.25	2.95
		3.90
9.50	8.00	
it		
		3.25
5.00	4.25	3.90
9.00	7.50	
4.75	4.00	3.60
6.00	5.00	4.60
6.75	5.75	5.25
	7.50 9.00 4.75 6.00 bit 1.75 5.00 6.50 9.50 5.00 9.50 5.00 9.50 6.50 9.50 6.50 9.50 6.50 9.50 6.50 9.50 6.50 9.50	rate rate 6.00 5.00 7.25 6.00 reading habit 7.50 6.25 9.00 7.50 dding habit 4.00 3.25 4.75 4.00 6.00 5.00 bit 1.75 1.60 5.00 4.25 6.50 5.50 7.50 6.75 9.50 8.00 bit 4.00 3.25 5.00 4.25 9.50 8.00 bit 4.25 3.50 5.00 5.00 4.75 6.25 8.25 6.75 9.00 7.50

	1-9	10	100 rate
Taxus media browni, globe shaped	rate	rate	rate
10-12", peatball 12-15"	~ ~ ~	$\frac{1.45}{4.25}$	$\frac{1.30}{3.75}$
12-15"	6.00	$\begin{array}{c} 4.25 \\ 5.00 \end{array}$	4.50
1½-2′	7.50	6.25	5.75
2-2½' 2½-2½', spec	9.00	7.50	
	11.00		
Taxus media halloran 1½-2'	6.00	5.00	4.50
2-21/2'	7.00	5.75	$\frac{4.30}{5.25}$
2½-3′	8.00		
Taxus media hatfieldi, upright			
$1\frac{1}{2}$ -2'. 2 -2 $\frac{1}{2}$ '.	7.00		5.25
21/2-3'	$8.75 \\ 9.50$	$\begin{array}{c} 7.25 \\ 8.00 \end{array}$	$\frac{6.95}{7.25}$
	0.00	0.00	,,,,,
Taxus media hicksi, upright	1.75	1.45	1.30
12-18", peatball	4.50		3.50
1½-2'1½-2', specimen, bushy	6.00	5.00	4.50
$\frac{1\frac{1}{2}-2'}{2}$, specimen, bushy	$7.00 \\ 7.00$		$5.25 \\ 5.25$
	1.00	9.10	9.20
Taxus media mooni, broad upright 2-2½ specimen	8.75	7.25	6.75
	0.10	1.20	0.10
Taxus media wardi, low spreading	= 00	4.95	3.90
12-15" 15-18"	$\frac{5.00}{6.00}$		4.50
10 10	0,00	0.00	2000
ALUHT			
INUJA			
Thuja biota aurea nana, (Golden Bio	ota)		
1½-2′		2.75	2.50
Thuya o. nigra (American Dark Gre		2.50	2.25
2-2½′	3.50		2.75
Thuya o. pyramidalis			
2-2½'	3.00	2.50	2.25
3-4'	4.50	3.85	3.50
4-5'5-5½'	5.75	$\begin{array}{c} 4.75 \\ 5.50 \end{array}$	4.25
7.	0.00	9.90	
Thuya o. woodwardi, globe shape	9.00	1.00	1 45
10-12	$\begin{array}{c} 2.00 \\ 2.10 \end{array}$		1.60
12-15" 15-18"	2.75		1.90
Thuja orientalis bakeri, green foliag			
1½-2′		2.75	2.50
Tilea cordata (Little leaved Linden)	dense	pyramid	form
6-7', br	4.25	3.50	3.25
6-7', br	7.00	5.75	5.25
1 1/0 = 1 3/4 "	11.00	9 25	6.25 8.25
1 % -2", 10-12'	12.50	10.25	9.25
2-2½", 11-13'	18.00	15.50	13.50
Tsuga canadensis (Canada Hemlock)			
2½-3′			4.50
3-3½' 3-4', specimen	$\begin{array}{c} 7.00 \\ 13.25 \end{array}$	$\begin{array}{c} 5.50 \\ 12.00 \end{array}$	$\frac{4.85}{11.25}$
o-z, specificit	10.20	12.00	11.20

Ulmus	carpinifolia, 'Buisman' (11/4-11/2" 11/2-13/4" 13/4-2" 2-21/2"	rate (Dutch Elm 6.00 7.50 10.00	n resi 4.75 6.25	rate
Ulmus	parviflora (Chinese Elm) 8-10', br	2.75	2.25	2.10
Ulmus	procera (English Elm) 1½-1½" 1½-1¾"	7.00	5.75 6.75	5.25 6.25

VIBURNUM			
Viburnum burkwoodi, waxy, blush-wh	ite flow	rers	
3-4', B&B budded	4.25	3.50	3.25
Viburnum carlesi, (Koreanspice Viburnum), very fragrant pinkish white blooms			
12-15", B&B	2.50	2.00	1.75
15-18", B&B	3.00	2.50	2.25
1½-2′, B&B	3.75	3.00	2.75
3-4', B&B	5.00	4.25	3.75
Viburnum carlcephalum, (Patent No. grant Snowball	776) T	he new	fra-
1½-2′	3.50	2.75	
3-4', B&B	5.50	4.60	3.75



VIBURNUM CARLCEPHALUM (Fragrant Snowball) (Plant Patent No. 776) Hybrid form of V. Carlesi and V. Macrocephalum. A quick grower; growing to about 6 or 7 feet high. A profuse bloomer of large white exceedingly fragrant flowers.

Viburnum chenaulti, improved Burkwo	odi, m	ore cor	npact
3-4', B&B, budded4-5', B&B, budded	$\frac{4.25}{5.00}$	3.50 4.25	3.25
Viburnum dilatatum, (Linden Viburnu shiny red fruit			
1½-2' 2-2½' 3-4'	$1.00 \\ 1.25 \\ 2.00$	$1.00 \\ 1.50$	60

		10 rate		
Viburnum lentago (Nannyberry) large coloring in fall	black fi	ruit, bri	lliant	
1½-2′ 2-3′	.55 .60	.45 .50	.40 .45	
Viburnum opulus (European Highbush		•00		
red berries in fall				
2-3′	.80	.65	.55	
3-4'	.90	.75	.65	
T-0	1.10	.90	.70	
5-6'	1.50			
Viburnum opulus nanum (Dwarf Craredging	nberry)	, usefu	ıl for	
10-12"	1.25	.90	.70	
12-15"	1.35	1.10	.90	
Viburnum tomentosum (Doublefile Vibers, red berries	urnum)	white	flow-	
15-18"	.90	.70	.60	
1½-2′	1.10	.80	.70	
2-2½'	1.20	.90	.80	
2½-3′	1.50	1.00		
Viburnum rhytidiphyllum (Leather le fruit turning black) red	
2-3', B&B	4.00	3.25	2.95	
Viburnum setigerum, brilliant red berries in late summer				
3-4'	3.00	2.25	1.80	
Zelkova serrata (Japanese Zelkova), graceful; resistant to Dutch Elm disease; elm-like foliage				
8-10', 1-1¼" 10-12', 1¼-1½" 12-14', 1½-1¾"	5.50	4.50	3.90	
10-12', 11/4-11/2"	6.25	5.25	4.75	
12-14′, 1½-1¾″	8.00	6.75	6.25	



5" pot—TREE PEONY (See following page for varieties and prices)

TREE PEOMES



- 5" pots—extra nice 4 yr. old plants.
- Easily shipped in cartons

	1-9 rate	10 rate	100 rate
Adzumi kagami, early, semi-double dark red.	4.50	4.25	4.00
Argosy, a single, clear sulfur yellow with red base. A Lutea Hybrid	2.50	2.25	2.00
Chromatella, large double pure sulfur yellow with a tinge of salmon.	4.50	4.25	4.00
Flambeau, full, double bright salmon red. A great novelty. Lutea Hybrid	3.50	3.25	3.00
Flora, an immense single pure white.	3.50	3.25	3.00
Kuro Botan, semi-double dark maroon red. Blooms freely. Japanese Var	4.50	4.25	4.00
La Lorraine, This peony has won many awards. Large, well-formed soft sulfur yellow with a salmon			
tinge when opening.	3.25	3.00	2.75
Satin Rouge, double vermillion- orange. A new color in peonies.	3.50	3.25	3.00
Souv. De Ducher, immense double bloom of bright reddish violet with	2.00	9.75	9.50
a silvery reflex.	3.00	2.75	2.50
Yaso-No-Mine, large double flower of purest white. Strong stems.	4.50	4.25	4.00
Yaso-O-Kine, immense semi-double pure white flower on strong stems.	4.50	4.25	4.00



Our propagation area on Meridian Farm.

LINING OUT STOCK

	100 rate	1000 rate	2500 rate
Acer Saccharum, (Sugar Maple)			
15-18", tr.	.25	.22	

ACER GINNALA—an excellent small tree

- Brilliant scarlet leaves in fall.
- Dense compact grower.
- Good where space is limited.

2 yr.	Seedling,	6-10"	.09	.07
2 yr.	Seedling,	10-15"	.11	.09

Ampelopsis veitchi, (Boston Ivy) 1 yr. S., 12-18"	.09	.07	.06
Aronia brilliantissima, (Brilliant Red C 1 yr. S			
Aronia melanocarpa, (Black Chokeberry), black	berri	es in
fall 1 yr. S	.12	.11	
Azalea mollis, orange-red, large flower 5 yr. tr., with flower buds		.75	
Berberis thunbergi atropurpurea, (Redl berry)	eaf Jap	anese	Bar-
2 yr. S., 6-9" 2 yr. S., 9-12"		.06	
2 yr. S., 9-12"		$.07\frac{1}{2}$	
2 yr. S., 12-18"	.12		
2 yr., $1\frac{1}{2}$ -2', well branched.	.45	.35	.28
Berberis thunbergi "Crimson Pygmy," berry) See page 4.	(Dwarf	Red	Bar-
3 yr., 4-6", bushy	.40	.35	
3 yr., 9-12", bushy	.60	.50	

	100	1000 rate	2500 rate
Buxus Inglis, for years this plant has pro- Arbor, Mich. We believe it to be the this latitude and south.			
	.28	.25	
1 yr. pot	.35	.30	
2 yr. pot 4 yr., 8-10", bushy	.75	.70	
Cornus elegantissima, variegated foliag 2 yr. tr. 8-10"	e .25	.22	
Cotinus Royal Purple 12-15", 2 yr. heavy	.60	.55	
EÜONYMUS ALAT		ll and	
the interesting corky bark make profit-making shrub.	this a p	opular	
3 yr. tr., 6-10", branched	.32	.28	
3 yr. tr., branched, 10-12"		.30	-
3 yr. tr., 12-15", branched	.40	.35	
Euonymus alatus compactus 3 yr. tr., 12-15", branched 3 yr. tr., 18-24", branched	.65	.35 .55	
Euonymus f. radicans Sarcoxie, uprigh	t Euon	ymus	
21/4" pot	.25	.22	
2¼" pot 2 yr., 8-12" 2 yr., 12-15"	.30 .40	.28 .35	
Euonymus f. vegetus, (Bigleaf Euonym		.45	
Hedera h. baltica, (Baltic Ivy) Wilson st	train		
in flats of 50 to a flat	.18	.16	
2½" rosepot	.25	.22	
Hedera h. Berlin 21/4" rosepot	.35	.32	
Hedera h. Thorndale, a new hardier B	altic Iv	v	
2¼" rosepot		.32	
Hydrangea A.G., (Snowhill Hydrangea)		
Heavy 10"	.20	.18	
Hydrangea Quercifolia 2 yr. pot	30	.27	
Hypericum Hidcote (Dwarf Hypericum			
practically all summer 21/4" pot	.28	ow no	wers
Juniperus chin. blaauwi			
2 yr. field	1.00	.90	
Juniperus chin. Hetzi, spreading Junip	er		
1 yr. pot 2 yr., 6-10"	.25	.22	.20
2 yr., 6-10"	.40	.35	.32
2 yr., 10-15"	.60	.50	.45
Juniperus chin. Maney (vase-shape, blue 2 yr. field	uegreen .90	.80	

		1000 rate	
Juniperus chin. mountbatten, blue-green			
			type
2 yr. field	.75	.65	
Juniperus chin. pfitzeriana			
1 yr. pot	.24	.22	.20
	.40	.35	
Juniperus chin. pfitzeriana compacta			
2 yr. pot	.40	.35	.32
		.00	.04
Juniperus chin. pfitzeriana, Nick's Com			
2 yr. pot	.40	.35	
Juniperus chin. sargenti (Sargent's Chi	inese	Junine	r)
1 yr. pot			,1)
-			
Juniperus horizontalis plumosa (Andor			
1 yr. pot	.28	.25	
Juniperus virg. burki, broad bluish gre	en u	pright	
2 yr. field		.80	
			£-11
Juniperus virg. canaerti, upright with b			ın talı
2 yr. field	.90	.80	
Juniperus virg. Dundee, rapid grower,	cone	e shape	d up-
right			
2 yr. field	.90	.80	
Ligustrum vicari, (Golden Privet)			
8-12", tr	20.	18	15
Lonicera zabeli, (Improved Red Flower			uckle)
1 yr	.14	.12	
Magnolia soulangeana			
8-12", tr	55	18	
· ·	.99	•40	
Magnolia stellata (Star Magnolia)			
8-12", tr6-10",—4 and 5" pot	.55	.48	
6-10",—4 and 5" pot	.75	.65	

MALUS Flowering Crab-Apples

riowering trab-Ap	hies	
	rate 100	rate 1000
Malus Arnoldiana, large pink flowers, ye	llow fr	uit
1 yr. graft		.32
Malus atrosanguinea, brilliant carmine flo	wers, y	rellow fruit
1 yr. graft		
Malus Flame, white flowers, bright-red	fruit	
1 yr. graft		.32
Malus dorothea, pink		
1 yr. graft	.35	.32
Malus Marshall Oyama, white flowers,	red fru	iit, upright
grower	40	25
1 yr. graft	.40	.35
Malus micromalus, pink flowers, yellow	fruit	
1 yr. graft		.32
Malus scheideckeri, semi-double pink; ye		ruit
1 yr. graft	.35	

Pachistima canbyi, low, dense mass g	rate	1000 rate cover;	rate
shade 2 yr. field grown			
Pachysandre terminalis, (Japanese Spu	.24	.21	.18
Picea mariana (Black Spruce) 3 yr., 6-8", tr	.16	.14	

BLUE SPRUCE

Picea p. moerheimi	
Pot grafts	1.25
	1.85

Order these NOW. They are always a sell-out.

1.20

Pinus strobus (White Pine) 3 yr.tr., 6-10" 3 yr. tr., 10-12" 2 yr. tr., 12-15"	.20 .25 .30	.18 .22
Prunus cistena (Purple-leaved Sand Che	erry)	
12-15" tr., for canning		.30
Pyracantha c. lalandi		
2 yr. pot	.30	.28
Rhodotypos (scandens) kerrioides (Blac	k Jetb	ead)
2 yr., 6-12"	.10	.09
2 yr., 1½-2′	.16	.14
Taxus baccata repandens (Spreading Enform with wide spreading branches	nglish	Yew), a low
1 yr. graft	.80	.75
Taxus cuspidata		
2 yr. pot	.25	.22
3 yr. pot	.30	
4 yr., 10-12"	.50	.45
5 yr. bushy, nice for canning	.55	.50



Rooted cuttings and grafts growing in our greenhouses.

JUNIPER GRAFTS

Pot grafts ready for shipment after May 1st.

J. CHIN. BLAAUWI

A NEW blue, vase-shaped Juniper.

.75 ea. per 100; .65 ea. per 1000

J. CHIN. DENSERECTA, "SPARTAN," (trade mark)

A NEW COTTAGE GARDENS introduction. A fast, dense grower with little trimming. Color is between Canaerti and Keteleeri. TRY A FEW.

.95 ea. per 100; .85 ea. per 1000

J. CHIN. MOUNTBATTEN

A NEW blue-green columnar type. Very hardy.

.75 ea. per 100; .65 ea. per 1000

J. VIRG. BURKI

A beautifully shaped broad bluish-green upright.

.65 ea. per 100; .60 ea. per 1000

J. VIRG. CANAERTI

Still a very popular, excellent upright. Blue berries in fall. .65 ea. per 100; .60 ea. per 1000

J. VIRG. CUPRESSIFOLIA

Same color as Canaerti but shapes faster and better. .65 ea. per 100; .60 ea. per 1000

J. VIRG. DUNDEE

Rapid grower, cone shaped upright, steel blue.

.65 ea. per 100; .60 ea. per 1000

J. VIRG. GLAUCA

A graceful upright, very blue Juniper.

.65 ea. per 100; .60 ea. per 1000

J. VIRG. KETELEERI


Always in good demand.

.65 ea. per 100; .55 ea. per 1000

Rooted Cuttings

We take the very best cuttings, grow them under ideal conditions and ship them thoroughly rooted.

	100 rate	1000 rate	2500 rate
Juniper c. Hetzi, fast growing spreader	.13	.12	.10
Juniper c. Pfitzeriana	.13	.12	.10
Juniper Horiz. plumosa (Andorra)	.13	.12	.10
Taxus cuspidata	.12	.10	.09
Taxus cusp. Nigra, dark green speader	.16	.14	
Taxus Densiformis, dense spreader	.14	.13	.12
Taxus Int. Sebian, spreader	.14	.13	.12
Taxus Med. Browni, globe	.14	.13	.12
Taxus Med. Hicksi, upright	.13	.12	.10
Thuja o. Pyramidalis	.13	.12	10
Thuja o. Woodwardi, globe	.13	.12	.10



Lining out Taxus under irrigation in our lathhouse.

2500 rate

Taxus cuspidata capitata 2 yr. S	
2 yr. S	
3 yr. S., rootpruned .14 .12	
5 yr. 5., 100 pruned	
2 yr. pot from cuttings .28 .25	
3 yr. 12-15"	
5 yr., 10-12"65	
6 yr., 12-15" from cuttings .40 .35	
Taxus densiformis, compact spreader	
2 yr. pot30 .28	
2 yr. tr30 .28	
3 yr. tr., heavy	
6 yr., 10-15", nice for canning 1.25 .95	
Taxus hunnewelliana	
3 yr. tr40 .36	
Taxus intermedia Sebian, a spreader	
2 yr. pot30 .28	
2 yr. tr	
3 yr. tr40 .36	
3 yr. tr	
Taxus media, irregular spreading habit	
2 yr. pot28 .25	
Taxus media andersoni, wide-vase-shaped spreader	
2 yr. pot	
3 yr. tr	
Taxus media browni, globe shaped spreader	
2 yr. pot	
3 yr. tr	
Taxus media halloran, spreader	
2 yr. tr30 .28	
3 yr. tr	
Taxus media hatfieldi, upright conical shape	
2 yr. pot	
2 yr. tr	
Taxus media henryi, an erect grower	
2 yr. pot	
2 yr. tr	
3 yr. tr	

	100 rate	1000 rate	2500 rate
Taxus media hicksi, a columnar uprigi			
2 yr. pot	.28	.25	
3 yr. tr			
4 yr. tr., rootpruned	.50	.45	.42
Taxus media Moon's Columnaris, a bro	ad col	umnar	form
2 yr. tr	.30	.28	
3 yr. tr	.40		
Taxus media wardi, low spreader, com	pact		
2 yr. pot	.30	.28	
3 yr. tr	.40	.36	
Taxus microphylla, upright			
2 yr. pot	.28	.25	



A Profitable Invesment! POTTED TAXUS

25c to 30c Now will net you \$5.50 to \$8.00 in five to seven years

Teucrium chamaedrys, a perennial for 3 yr. pot			
Thuja occ. hoveyi, (Globe Arborvitae) 3 yr. tr		.28	
Thuja occ. nigra, (Wintergreen Pyra 1 yr. pot			itae)
Thuja occ. pyramidalis 1 yr. pot	.25	.22	
Thuja occ. woodwardi, globe-shaped 1 yr. pot 2 yr. pot		.20 .22	
Viburnum americanum (American Cra 2 yr. S., 6-12"			
Viburnum carlesi 12-15" liners	.30	.25	
Viburnum lentago (Nanny Berry), la brilliant coloring in fall 2 yr. S., 1½-2' 2 yr. S., 2-3'	.14	olack fr	uit—
Vinca Minor (Periwinkle or Myrtle)	.11	.09	.07
Wisteria Blue 1 yr. graft	.75	.65	

For Fall Only

SUPERBLOOM (TRADE PEONIES

Packed by COTTAGE GARDENS

for eye appeal . . .
. . sales and profit



SUPERBLOOM PEONIES are individually wrapped in moisture-holding material and Polyethylene. A tube is used for outside wrapper, illustrated with a large color picture and cultural instructions. Packed 30 plants (6 varieties) per carton.

SUPERBLOOM PEONIES are the least perishable of all plant materials.

DISPLAY CARTON CONTAINS:

FELIX CROUSSE, red
KARL ROSENFIELD, red
SARAH BERNHARDT, pink
JAPANESE (EVA, pink; MIKADO, red)

FESTIVA MAXIMA, white
MONS. JULES ELIE, pink
PRIMEVERE, yellow or

\$16.75 per carton

DISPLAY CARTON CONTAINING NO YELLOW OR JAPANESE:

\$15.75 per carton



the cottage gardens, inc. NICK I. W. KRIEK HAROLD E. HICKS

2707 W. St. Joseph Street, Lansing, Michigan Phones: IV 2-9021 - IV 2-9276

